

**NAME**

apv1v — PDF/DJVU/EPUB/HTML/TXT viewer with vim-like behaviour

**SYNOPSIS**

**apv1v** [options] [file]

**DESCRIPTION**

apv1v is a PDF/DJVU/EPUB/HTML/TXT viewer, which behaves like vim.

**OPTIONS**

**-c** *file*

Load configuration from *file* instead of the default *~/.apv1vrc*

**-h**

Show help message and exit

**-v**

Show version and exit

**COMMANDS**

The following command keys can be used inside apv1v. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

**o** Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file

**O** Select a directory to display

**t** Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab

**T** Select a directory to display in a new tab

**R** Reload the current file

**r** Rotate the document clockwise by 90 degrees

**G** Show page number *count*

**gt** Show next tab

**gT** Show previous tab

**PageDown, C-f**

Go forward *count* pages

**PageUp, C-b**

Go backward *count* pages

**C-d** Go forward *count* half pages

**C-u** Go backward *count* half pages

**H** Scroll to page head

**M** Scroll to page middle

**L** Scroll to page bottom

**s** skip some pages *count*

**C-p, Up, k**

Scroll up *count* units

**C-n, Down, h**

Scroll down *count* units

Backspace, Left, h  
     Scroll left *count* units

Space, Right, l  
     Scroll right *count* units

/ *string*  
     Search forwards for *string*

? *string*  
     Search backwards for *string*

f      Toggle between fullscreen and window mode

zi     Zoom in

zo     Zoom out

zw     Zoom to fit window width

zh     Zoom to fit window height

m *char* Mark the current position to *char*, so that it can be recalled by pressing *char*

' *char* Return to the mark position *char*

”      Return to the last position

q      Close the current window

ZZ     quit the viewer with ZZ, like Vim

v      Select a area

C-v    Select a rectangle area

y      copy the select area text to clipboard

c      toggle content display

U      underline selected text

A      annotate selected text

C      comment selected text

## SETTINGS

These can be set in ~/.apvlvrc with "set *setting* [= *value*]".

fullscreen = yes/no  
     Enable/Disable fullscreen

width = *int*  
     Default window width

height = *int*  
     Default window height

fix\_width = *int*  
     fixed width

fix\_height = *int*  
     fixed height

defaultdir = *path*  
     Default directory for the open dialogue

`zoom = mode`  
Set default zoom level

- `normal` The application sets the default zoom value
- `fitwidth` Fit pages to window width
- `fitheight` Fit pages to window height
- `float` 1.0 for 100%, 2.0 for 200%, etc.

`content = yes/no`  
Show content view first

`content_follow_mode = mode`  
Set default content follow mode

- `none` Not follow any content, just by user press Enter.
- `page` Just follow page of book.
- `always` Always follow any resources.

`continuous = yes/no`  
Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.

`continuouspad = int`  
Padding between pages for continuous = yes

`autoscrollpage = yes/no`  
Enable/Disable scrolling the pages when hitting a page tail/head

`noinfo = yes/no`  
Disable/Enable the usage of ~/.apv1vinfo

`pdfcache = int`  
Set pdf cache size

`[no]cache = yes/no`  
Disable/Enable cache

`scrollbar = yes/no`  
Set show scrollbar or not

`visualmode = yes/no`  
Set use visual mode to select and copy text or not

`wrapscan = yes/no`  
Set wrapscan to search text or not

`doubleclick = action`  
Set default double click action

- `none` Selection nothing
- `word` Selection a word under the cursor to clipboard
- `line` Selection a line under the cursor to clipboard
- `page` Selection a page under the cursor to clipboard

`guioptions = m/T/mT`  
Weather display menu, toolbar, or menu and toolbar.

`autoreload = int`  
If auto reload document after some seconds

inverted = yes/no  
    If use inverted mode for pdf page

background = *color*  
    Set background color

## PROMPT

Like the COMMANDS, but prefixed with a colon:

:h[elp]    Display the help document

:q[uit]    Close the current window

:o[pen] *file*  
    Open *file*

:doc *file*  
    Load *file* into the current window

:TOtext [*file*]  
    Translate *file* (or the current page) to a text file

:pr[int]   Print the current document

:tabnew    Create a new tab

:sp        Horizontally split the current window

:vsp       Vertically split the current window

:fp, :forwardpage [*int*]  
    Go forward *int* pages (1 by default)

:bp, :prewardpage [*int*]  
    Go backward *int* pages (1 by default)

:g, :goto *int*  
    Go to page *int*

:z[oom] *mode*  
    Set zoom to *mode* (see "set zoom" in SETTINGS)

:*int*       Go to page *int*

:content   toggle content display

## AUTHORS

apvlv was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xeno@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel <foobar@derf.home-linux.org>.